COMMON MANZANITA

Arctostaphylos manzanita



Beautiful red branches in gracefully twisting forms. Foundation plant in bird and pollinator gardens: winter blooms are white, urn-shaped flowers with pinkish base. Reddish berries ripen in summer. Attracts native bees, provides cover and food for birds. Deer resistant.

Native Americans use the fruit to make a cider; ash as medicine, and leaves to counteract Poison Oak.



BIODIVERSITY VALUE **MEDIUM**

BUTTERFLIES/MOTHS68

BIRDS

Anna's and Allen's Hummingbirds, California Quail and several species of Sparrows



ANNA'S HUMMINGBIRD



CALIFORNIA QUAIL



WHITE-CROWNED SPARROW



TYPE Shrub



SIZE 6-20 ft. tall / 10 ft. wide (Note: typically slow growing at first)



SUN Full sun, part shade



WATER Low.



SOIL Prefers good drainage, tolerates clay.









TUFTED HAIRGRASS

Deschampsia cespitosa



Beautiful fountain-shaped grass grows in clumps called tussocks. Delicate wands of golden-green-purple flowers emerge in spring. Green with winter rains, leaves turn golden brown in summer and fall. Deer resistant.

Larval food for butterflies. Can handle some saline water.



BIODIVERSITY VALUE **MEDIUM**

BUTTERFLIES/MOTHS

BIRDS

White-crowned Sparrows, American and Lesser Goldfinches and House Finches



WHITE-CROWNED SPARROW



LESSER GOLDFINCH



HOUSE FINCH



TYPE Grass



SIZE 3 ft. tall / 3 ft. wide



SUN Full sun, part shade; component of meadows as well as near ponds or streams.



WATER Maximum of 1 time per week once established.



SOIL Sand or clay soil tolerant.

Learn more at: cnps-yerbabuena.org & goldengatebirdalliance.org



CALIFORNIA ASTER Symphyotrichum chilense



Cheerful, light purple blooms, summer to fall in the San Francisco Bay Area. Butterflies and moths consume the nectar and birds eat the seed after blooms have departed. Spreads easily. Deer resistant. Also called Pacific Aster.

This plant is a member of the sunflower family.



BIODIVERSITY VALUE **MEDIUM**

BUTTERFLIES/MOTHS 53

BIRDS

Northern Mockingbirds, House Finches, California Thrashers, orioles, Cedar Waxwings, Oak Titmice, nuthatches, Chestnut-backed Chickadees, American Crows, California Scrub and Stellar's Jays, vireos, Bewick's and House Wrens, White-crowned Sparrows, Downy, Hairy and Nuttall's woodpeckers



CEDAR WAXWING



CALIFORNIA SCRUB JAY



DOWNY WOODPECKER



TYPE Perennial herb



SIZE 1.3-3.5 ft. tall / 3 ft. wide



SUN Full sun or part shade. A wandering border flower or groundcover, decorative near grassy areas. Cut back after blooms have seeded.



WATER Low



SOIL Loamy clay

Learn more at: cnps-yerbabuena.org & goldengatebirdalliance.org

Resources: Calscape, Doug Tallamy, Kathy Kramer Bringing Back the Natives Photo credits: Noreen Weeden; Irene; Steven Smethurst; Dario Taraborelli; Andy Wilson



OCEAN SPRAY

Holodiscus discolor



Bright green, fragrant bush with cream-colored flowers. Provides cover and food for birds and small mammals. Very easy to care for, can survive drought times. Deer resistant, Also called Creambush.

Native Americans use parts of the Ocean Spray plant for medicinal needs, hunting, and sewing.



BIODIVERSITY VALUE MEDIUM

BUTTERFLIES/MOTHS
38

BIRDS

Material from Ocean Spray is used by nesting birds. Chickadees, Bushtits, White-crowned Sparrows and Song Sparrows, Anna's and Allen's Hummingbirds.



CHESTNUT-BACKED
CHICKADEE



SONG SPARROW



ANNA'S HUMMINGBIRD



TYPE Shrub



SIZE 3-16 ft. tall / 10-15 ft. wide Can be pruned.



SUN Shade or part shade. Can be used to stabilize banks or as tree understory.



WATER Low, medium to high.



SOIL Clay, garden and serpentine soils.

Learn more at: cnps-yerbabuena.org & goldengatebirdalliance.org



